

DOOR SKINS INSTALL INSTRUCTIONS



Thank you for purchasing a Poison Spyder Door Skins for your Jeep. Door Skins install onto the frames of Bestop® half doors for '76 to '06 CJ-7, CJ-8, TJ, YJ and LJ Unlimited. Installation is fairly simple with the right tools and good mechanical abilities. If you are not confident in your mechanical skills, please seek the help of a professional to perform the installation. Please read through these entire instructions before proceeding with installation.

PARTS LIST

Please check your packages immediately upon arrival to ensure that everything listed is included, and to check for damage during shipping. If anything is missing or damaged, call Poison Spyder at (951) 849-5911 as soon as possible.

- (1) Poison Spyder Door Skin Left
- (1) Poison Spyder Door Skin Right

TOOLS NEEDED

- Utility knife
- 3/8 end wrench
- Phillips head screwdriver
- Sander or sandpaper
- Welder
- Primer & Paint

INSTALLATION PROCEDURE

1. **Remove the half door** from the vehicle, if needed. Use a 3/8 wrench and Phillips screwdriver to remove the latch mechanism.

Use a utility knife to remove the cloth material from the frame.




FIGURE 1

2. Use a sander, grinder or sandpaper to remove paint from the steel door frame in each spot where the Door Skin will be welded to it.




FIGURE 1

3. **Clamp the Door Skin** to the frame and weld the skin to the frame in several spots. The quantity and placement of welds is left up to

you, but we recommend several stitch welds along each side of the perimeter, plus a few along the center frame rods to prevent oil-canning and rattling. For the welds along the perimeter, put the welds to the inside of the frame rod.



FIGURE 1

- 4. Paint the assembled door**, including the Door Skin, frame and welds. You may also choose to send it to your local powdercoater. If painting at home, thoroughly clean the surface of the Door Skin, roughen it slightly with a sander, and apply a quality self-etching primer followed by your choice of color.
- 5. Re-install the latch mechanism**, and install the assembled door onto the Jeep.




FIGURE 1

Congratulations, you have completed the installation of your Poison Spyder Door Skins!

WARRANTY

Poison Spyder Customs™ warranties all of the products we sell and distribute for one (1) year from the date of sale. These products will be free from defects in material and workmanship under normal installation, and use. Due to the intended use the powder coat finish is warranted for ninety (90) days. The finish warranty will not cover a product if it has been damaged in any way. Warranty is limited to repair or replacement. Poison Spyder Customs™ does not offer any type of labor or shipping allowance and all warranty claims are subject to inspection by Poison Spyder Customs™.

At the discretion of Poison Spyder Customs™, the products in question can be repaired or replaced when found defective. Prior to any replacement or repair, written authorization must be obtained from Poison Spyder Customs™. Failure to contact us prior to having warranty work preformed will immediately void all applicable warranties; and it is then the sole responsibility of the customer to remit any payment incurred.

The warranty expressed above is the sole warranty of Poison Spyder Customs™, and any other expressed or implied warranties are hereby specifically excluded and disclaimed.

HOLD HARMLESS AGREEMENT

1. In purchasing a Poison Spyder Customs Product™ I release, waive, discharge and covenant not to sue Poison Spyder Customs officers, servants, agents, or employees (hereinafter referred to as Releasees) from any and all liability, claims, demands, actions and causes of action whatsoever arising out of or related to any loss, damage, or injury, including death, that may be sustained by me (or anyone else), any property belonging to me (or anyone else), whether caused by the negligence of the releasees or otherwise, while working on, using or any activity related to this product.
2. I am fully aware of risks and hazards connected with the use of a this product and I elect to voluntarily engage in such use of this product knowing that the use may be hazardous to me and my property. I voluntarily assume full responsibility for any risks of loss, property damage or personal injury, including death,

that may be sustained by me (or anyone else), or any loss or damage to property owned by me (or anyone else), as a result of using this product, whether caused by the negligence of releasees or otherwise.

3. I further agree to indemnify and hold harmless the releasees from any loss, liability, damage or costs, including court cost and attorney fees, that they may incur due to my use of a this product, whether caused by negligence of releasees or otherwise.
4. It is my express intent that this Release and Hold Harmless Agreement shall bind the members of my family and spouse, if I am alive, and my heirs assigns and personal representative, if I am deceased, and shall be deemed as a release, waiver, discharge, and covenant not to sue the above named releasees. I further agree that this Waiver of Liability and Hold Harmless Agreement shall be construed in accordance with the laws of the State of California.

By accepting this product, I acknowledge and represent that I have read the above Waiver and Liability and Hold Harmless Agreement, understand it and accept it voluntarily as my own free act and deed; no oral presentations, statements, or inducements, apart from the foregoing written agreement, have been made; I am at least eighteen (18) years of age and fully competent; and I execute this Release for full, adequate and complete consideration fully intending to be bound by same.

If you do not agree with the preceding Hold Harmless Agreement, you may return the product and receive a full refund. Please, contact a Poison Spyder Customs™ sales representative and they will issue a call tag for the product in question. Once the product has been received by Poison Spyder Customs™ a full refund will be issued.

INSTALLATION INSTRUCTIONS