IMPORTANT: PLEASE KEEP THIS INSTRUCTION MANUAL FOR FUTURE REFERENCE!

Copyright © 2012 by E&G Classics, Inc. All right reserved. The reproduction or utilization of this work in any form or any electronic, mechanical, or other means, no known or hereafter invented, including verography, photocopying, and recording, and in any information storage retrieval system is forbidden without written permission of owners.



2007-12 Jeep Wrangler E-Power Mesh Grille **Upper Overlay**



Black Mesh Part #: Complete 1279-0104-EP / Chrome Mesh Part #1279-0104-EPC




Automotive grade masking tape, scissors, razor blade or X-Acto knife, flat blade screwdriver, emblem removal tool, jig saw or vibrating saw, Hammer and small pumch, 9mm socket and ratchet, glass cleaner and soft, clean cloths.

01/24/12

Notes to the Technician/Installer:

E&G is proud to present this package to you and reminds you that for technical information, contact technical assistance at 410-381-4900. Do not attempt the installation of any E&G product without first reading the detailed instructions. E&G Classics will not warrant damaged parts or the vehicle due to altered installation instructions.






1. Open the hood and apply masking tape to the factory grille as shown. Completely surround the Jeep lettering with several layers of masking tape to protect the factory paint.

2. Use a flat blade screwdriver to remove the six (6) factory push pins securing the top of the factory grille center section to the radiator support panel (driver side shown).



3. Hold the top edge of the grille and give the grille several quick tugs across the bottom edge to unclip it from the support. Do not pull the grille too far out, the turn signal bulbs are attached to the back of the grille.



4. Carefully rotate the turn signal bulbs to remove them from the lamp sockets attached to the factory grille.




AMERICA


sy Medical Workes IIII

Copyright 2012 by E&G Classics, Inc.


Visit us online today at www.egclassics.com




5. If using a tucking tool to remove the Jeep lettering, do so from the top down. Do not work from the bottom up or you will damage the paint at the tops of the letters. You can also use fishing line to cut through the factory double faced tape.




6. Cut out and align the upper grille cutting template and tape it in place as shown. Use a sharpie or grease pencil to mark the side of the grille where the template folds down on the side. Untape the template, turn it over, align it on the opposite side and tape it into place and mark the side of the grille.




7. Cut out and align the lower grille cutting template and tape it in place as shown. Use a sharpie or grease pencil to mark the side of the grille where the template folds down on the side. Untape the template, turn it over, align it on the opposite side and tape it into place and mark the side of the grille.




8. Use a jig or vibrating saw to cut through the sides of the grille where marked in the previous steps.



9. Cut across the top and bottom openings of the factory grille where shown.




10. The finished cut should look like this. Factory grille center section is not reused. Remove the protective masking tape once the cutting is finished.



11. Align the cut factory grille over the E&G E-Power mesh grille as shown. Align the supplied upper grille reinforcement across the top edge of the inside of the factory grille prior to U-shaped grille retainer installation.



12. Align the U-shaped grille retainers across the top of the grille and install a #8-32 ESNA half nut and tighten until the grille surround is flush with the factory grille.



13. Align the U-shaped grille retainers into the lower corners of the grille and install a #8-32 ESNA half nut and tighten until the grille surround is flush with the factory grille.




14. Align the U-shaped grille retainers onto each side of the grille and install a #8-32 ESNA half nut and tighten until the grille surround is flush with the factory grille.



15. Align the U-shaped grille retainers across the bottom of the grille and install a #8-32 ESNA half nut and tighten until the grille surround is flush with the factory grille.

Important: Apply black paint to all studs to conceal them once the E-Power mesh grille is installed onto the vehicle.



16. If the grille will use the supplied emblem plate, remove the center 12 point stud from the grille using a small punch and mallet from the reverse side.






18

17. Install the supplied .045" x 1" double faced tape onto the back of the factory Jeep lettering. Make sure the tape does not protrude past the edges of the letters.

18. Cut out the supplied template using an X-Acto knife (as shown). Carefully align the template over the supplied emblem mounting plate for lettering installation.




19. Peel off the double faced tape backing, align the Jeep lettering onto the emblem mounting plate and install it onto the E-Power grille using the large black plastic washers between the emblem plate and the mesh. You might have to clip a mesh wire in order to center the emblem.



20. Turn the grille over and secure the emblem assembly using the supplied large black plastic washers and the #8-32 ESNA half nuts.



21. Align the assembled grille back onto the vehicle and clip the lower edge into place.



22. Reinstall the factory push pins across the top edge (driver side shown) and close the hood to finish the installation.

Heavy Chrome Mesh Part #1279-0104-07EPC			
Quantity:	Description:	Part Number:	
1	E-Power Mesh Grille	******	
1	Installation Hardware Kit	1279-1902-07EP	
10	U-Shaped Grille Retainers	1999-0719-00	
1	Upper Grille Reinforcement	1279-0151-07	
4	Large Black Plastic Washers	1999-0264-00	
12	#8-32 ESNA Half Nuts	1999-0065-00	
1	Upper Grille Cutting Template	1279-0068-07	
1	Bottom Grille Cutting Template	1279-0069-07	
1	Emblem Mounting Plate	1279-0158-07	
1	Emblem Mounting Template	1279-0000-07	
8"	.045" x 1" Double Faced Tape	3004-9244-92	

Heavy	Black Mesh Part #11	37-0104-11EP
Quantity:	Description:	Part Number:
1	E-Power Mesh Grille	******
1	Installation Hardware Kit	1279-1902-07EP
10	U-Shaped Grille Retainers	1999-0719-00
1	Upper Grille Reinforcement	1279-0151-07
4	Large Black Plastic Washers	1999-0264-00
12	#8-32 ESNA Half Nuts	1999-0065-00
1	Upper Grille Cutting Template	1279-0068-07
1	Bottom Grille Cutting Template	1279-0069-07
1	Emblem Mounting Plate	1279-0158-07
1	Emblem Mounting Template	1279-0000-07
8"	.045" x 1" Double Faced Tape	3004-9244-92




E&G Classics Warranty Information:

E&G Classics, Inc. warrants its chrome parts and products to be free from defects in material, workmanship or finish for Thirty-Six (36) months from the date of shipment by E&G. This warranty is limited to the repair or replacement, at E&G Classics option, of the defective part or product.Full E&G Classics warranty information is available online @www.egclassics.com. Just click on the product warranty icon.

For E&G Classic Product Returns:

Please contact the authorized E&G Classics Dealer where you purchased our product from in regards to any workmanship or warranty claims. All items returned to E&G Classics must have a return authorization number issued by us for inspection or a defective product and or warranty issue. All merchandise sent back to E&G Classics without proper paperwork or authorization will be rejected and returned.

This page left blank for cutting templates.



This page left blank for emblem template.

2012 Jeep Whongier 4 Dr E Power Emblem Plate Template Port # 12/3 - 0039 - 0782

